


00-F01111



MODEL	A			VOLUME			DOME VOLUME			WEIGHT	
	mm	inch	+/- mm inch	Liters	U.S. GAL	CUBIC FT	Liters	U.S. GAL	CUBIC FT	Kg	LBS
10x35	892	35.12	4 .16	38.4	10.15	1.36	2.29	0.60	0.08	5.23	11.51
10x54	1382	54.57	5 .20	62.4	16.49	2.20	2.29	0.60	0.08	7.98	17.56

NOTES:

- TANK MUST MEET ALL APPLICABLE SPECIFICATIONS OF NSF/ANSI 044 STANDARD, LATEST REVISION.
- OPERATING SPECIFICATIONS:
 - MAXIMUM WORKING PRESSURE - 150 PSI (10.5BAR)
 - TEMPERATURE RANGE - $34-120^{\circ}$ F ($1-49^{\circ}$ C)
 - MAXIMUM VACUUM - 5° Hg (127mm Hg)
- VISUAL LINER INSPECTION
 - NO MORE THAN 10 INTERNAL OR EXTERNAL BLEMISHES OR BURNT DEBRIS.
 - NO INTERNAL OR EXTERNAL BLEMISHES OR BURNT DEBRIS LARGER THAN 3×3 mm.
 - NO INTERNAL BLEMISHES OR BURNT DEBRIS ALLOWED.
- ALL GLASS STRANDS FROM FIBERGLASS LINER TO BE BONDED AND COVERED.
- SURFACE TO BE FREE OF NICKS, SCRATCHES, RESIN AND GLASS.
- SURFACE FINISH.
- DIMENSIONS IN PARENTHESES ARE REFERENCE ONLY.
- DIMENSIONS IN SQUARE PARENTHESES ARE INCH UNIT.

THIS DIMENSION CAN BE CHANGED
WITH THE CUSTOMERS' REQUIREMENT

VERSION NO.	1	THIS DRAWING IS CREATED CORRECTLY WITH THE CHINESE VERSION	DESCRIPTION OF CHANGES:	SIGNATURE	2010/12/14
REFERENTIAL PLASTIC SHRINKAGE (IF NECESSARY):					
SIGNATURE		WAVE CYBER (SHANGHAI) CO., LTD.			
DESIGN	NAME	DATE	SCALE	MATERIAL	MODEL
INSPECTION			1 : 2		DESCRIPTION
APPROVAL			QUANTITY	SMOOTHNESS	10" (4) FRP PRESSURE VESSEL
THIS PRODUCT DRAWING CAN NOT BE COPIED AND/OR USED WITHOUT PRIOR WRITTEN APPROVAL OF WAVE CYBER.			PROJECTION	COMPUTER CODE	DRAWING NO.
DO NOT MEASURE THE DIMENSIONS.			UNIT: MM		111104-00
					VERSION NO.
					1
					TOTAL PAGE: 1